

Mr. Jim Colmer, P.E., BB&E Presentation Date (11 May 2011)

# GREEN AND SUSTAINABLE REMEDIATION: APPLICATION WITHIN THE AIR NATIONAL GUARD

maintaining the data needed, and c including suggestions for reducing	ompleting and reviewing the collecti this burden, to Washington Headquald be aware that notwithstanding an	o average 1 hour per response, includion of information. Send comments a arters Services, Directorate for Informy other provision of law, no person a	regarding this burden estimate of mation Operations and Reports	or any other aspect of the 1215 Jefferson Davis	is collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE 11 MAY 2011		2. REPORT TYPE		3. DATES COVE <b>00-00-2011</b>	red to 00-00-2011	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Green and Sustainable Remediation: Application Within the Air National Guard				5b. GRANT NUMBER		
Guaru				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  BB&E,37610 Hills Tech Drive ,Farmington Hills,MI,48331				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT  Approved for public release; distribution unlimited						
13. SUPPLEMENTARY NOTES  Presented at the NDIA Environment, Energy Security & Sustainability (E2S2) Symposium & Exhibition held 9-12 May 2011 in New Orleans, LA. U.S. Government or Federal Rights License						
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFICATION OF: 17. LII				18. NUMBER	19a. NAME OF	
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	OF PAGES 25	RESPONSIBLE PERSON	

**Report Documentation Page** 

Form Approved OMB No. 0704-0188

#### Overview

- Air National Guard's (ANG) Green and Sustainable Remediation (GSR) Approach
- ANG's application of GSR
  - Tucson, AZ
  - -Burlington, VT
  - -Cheyenne, WY

#### ANG's RPO and GSR

- RPO is a tool by which the Air Force evaluates the status of remediation processes at sites
- RPO Primary Goals:
  - 1. Ensure protection of human health and environment
  - 2. Control Risk
  - 3. Improve cleanup efficiency (cost and time)
- GSR Primary Goal
  - Improve GSR parameters of existing remedies without compromising #1


#### **GSR** Evaluation

- Determine Scope
- Identifies opportunities to improve GSR parameters of existing remedies
  - Energy efficiency
  - Decrease air emissions (including CO<sub>2</sub>)
  - Minimize material use and wastes generated
  - Minimize water use and maximize water reuse
  - Minimize soil and habitat disturbance
  - Improve long-term stewardship
- Ensure protection of human health and the environment

#### Case Study Tucson, ANGB


- Arizona Air National Guard, 162<sup>nd</sup> Fighter Wing, Tucson, Arizona
  - Portion of the Tucson International Airport Area Superfund Site
  - Primary chemical of concern Trichloroethene (TCE)
  - Record of Decision (ROD)
    - Remedy Groundwater Extraction, Treatment, and Recharge System (GWETRS)
    - Groundwater capture and control
- Community Setting
  - Engaged Community
  - Downgradient water treatment infrastructure





Tucson International Airport Authority Superfund Site


#### Plume B Area



#### Tucson System Details

- 15 Groundwater extraction pumps
- Pretreatment with sequestering agent





**ATMOSPHERE** 

### Tucson - System Metrics

- 1997 March 2010
  - Captured 708M gallons and removed ~ 37 lbs TCE (just over 3 gallons)
- April 2009 March 2010
  - Influent ranges between 4.3 5.5 μg/L
- Averages based on 2008 GSR Evaluation
  - Average monthly energy consumption 22K (kilowatt-hours) kWh or 265K kWh per year (2.34% base annual consumption)
  - 249 metric tons CO<sub>2</sub> equivalents (e) emitted based on energy use
  - 14 metric tons (MT) CO<sub>2</sub> based on transportation
  - About 9 miles of polyethylene tubing (PET) used annually

### Tucson Substantive Recommendations

- Based on continuation of GWETRS operations
  - Energy (reductions of over 50%)
    - Discontinue / reconfigure select equipment (e.g., cascade aeration)
    - Replace air strippers with liquid-phase granular activated carbon (GAC)
    - Remove vapor-phase treatment due to low concentrations
  - Material use & waste minimization
    - Initiate passive sampling validation study

#### **GSR** Actions



- Passive cooling
- GSR Evaluation completed April 2009
- Findings presented to USEPA Region 9, August 2009
- In-situ Chemical Oxidation (ISCO) Pilot Test conducted in 2009
- USEPA Region 9 and ANG working toward the goal of shutting the GWETRS down in favor of a more sustainable approach

#### Case Study Burlington, ANGB

- Vermont Air National Guard, 158<sup>th</sup> Fighter Wing, Burlington, Vermont
  - Five active sites with cleanup underway
  - Primary chemicals of concern
    - Chlorinated solvents
    - Petroleum constituents
    - Free product (JP-4, JP-8)
  - GSR Evaluation completed September 2009



### Burlington System Details

- Two operating Multi-Phase Extraction (MPE) Systems with product recovery and catalytic oxidation (CATOX) vapor treatment
- Bioventing System
- Pump and Treat (discharge to the City of Burlington Treatment Works)
- Soil Vapor Extraction (SVE)

### Burlington System Metrics


- Contaminants removed
  - Pounds of CO<sub>2</sub> equivalents emitted per pound of contaminant removed (energy use only)
    - Site 1 Pump & Treat ~ 4,400
    - Site 2 SVE ~ 276
    - Site 3 MPE ~ 256
    - Site 4 Bioventing ~ 63
    - Site 5B MPE ~ 400
  - Electricity consumption
    - 946 mega-watt hours annually (20% of entire installation energy usage)
  - Free product removal
    - 38,200 pounds over system lifetimes
  - Tailpipe emissions
    - Approximately 40 metric tons per year (all sites)

## Burlington Substantive Recommendations



- Replace CATOX units (70 kW demand each) with vaporphase GAC
  - Significant energy reduction

- Installation of energy management devices
  - Improve energy tracking and isolation of energy draw




## Burlington Substantive Recommendations

Use passive samplers for groundwater monitoring

Reduction in material usage





- Use of local/regional vendors and suppliers
  - To the extent practicable to reduce tailpipe emissions

#### **GSR** Actions

- Base Wind Power Study completed 2009
  - Poor wind resources at the Base
- Solar powered AS/SVE analysis completed December 15, 2010
  - Over 20 yrs solar cost approximately \$245,000 more than traditional power



- Effectiveness comparison for replacing CATOX vapor treatment with vapor-phase GAC completed December 15, 2010
  - GAC costs approximately \$600K less over 10 years
  - Single CATOX use responsible for  $> 20 \text{ MT CO}_2\text{e/yr}$
  - Vermont Hazardous Ambient Air Standards initially not met with GAC for methylene chloride

#### Case Study Cheyenne, ANGB

- Wyoming Air National Guard, 153rd Airlift Wing, Cheyenne, Wyoming
  - Contamination migrates off-base
  - Primary chemicals of concern
    - TCE
    - Carbon Tetrachloride
  - Groundwater capture system (building, well vaults, and discharge) located in a community park.
- GSR Evaluation completed October 2010







# Cheyenne, WY ANGB Site 4

# Community Involvement



- Legacy
  - Founder's Day Air Show
  - Earth Day: Environmental booth where Site 4 clean-up information is provided
  - Wing Commander regularly briefed on community involvement
- Site 4 Specifics
  - Door-to-door communication to residents about Site 4 plume accompanied by WDEQ
  - Private well water sampling and installation of individual water treatment systems as needed until conversion to municipal water
  - Residential vapor intrusion studies
  - Park treatment system installed during off-peak hours
  - Quiet equipment
  - Provided additional paved parking in the Park



#### Mylar Park

Bicycle Path, Fishing,
Pond, Picnic Facilities,
Play Area, Rental
Shelter, Restroom,
Horseshoes,
Volleyball and Grills





# Cheyenne System Metrics

- Low influent concentrations
  - Approximately (20  $\mu$ g/l) total volatile organic compounds
- Based on a mass removal rate of nearly 1.2 lbs/year:
  - 830 lbs of GAC used/lb contaminant removed
  - 29 MT of CO<sub>2</sub>e emitted/lb contaminant removed
  - 5.4M gallons of water processed/lb contaminant removed
- Over 3 miles of PET used annually
- Electricity consumption
  - 52.4 mega-watt hours annually (just over 1% of entire installation energy usage)
- Tailpipe emissions
  - Approximately 12.6 MT per year CO<sub>2</sub>

## Cheyenne Substantive Recommendations

- Optimize system with energy efficient equipment
- Wind is an abundant renewable resource in Wyoming
  - Evaluate opportunities to power the groundwater capture system with wind
- Eliminate NPDES discharge exceedences by enhancing breakthrough protection/minimizing fouling
- Move toward a more passive remedial option

## Cheyenne Substantive Recommendations

- Material use & waste minimization
  - Initiate passive sampler validation study
- Community Education
  - Create a walking tour of the park treatment system through interpretive panels



# Questions & Contact Information





Mr. Jim Colmer, P.E.; (248) 489-9636, x309 jcolmer@bbande.com